according to Regulation (EC) No. 1907/2006



Wet Wipe Ethanol Disinfection 70%

No Change Service! Date of last issue: -

Revision Date: Version

01.00 09.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Wet Wipe Ethanol Disinfection 70% Article-No. 50536, 51133, 51153, 51154, 51315

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Health services. Biocidal products

Disinfectants and algaecides not intended for direct applicastance/Mixture

tion to humans or animals, Food and feed area disinfectants

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Manufacturer/ Supplier Wet Wipe A/S

Vallensbaekvej 65

2625 Vallensbaek

Denmark

Telephone: +45 70 266 244

www.wetwipe.eu info@wetwipe.eu

E-mail address of person

responsible for the SDS/Contact person ChemicalCompliance@schuelke.com

1.4 Emergency telephone number

Emergency telephone num-

+45 82 12 12 12

ber

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word Danger

Hazard statements Highly flammable liquid and vapour. H225

Precautionary statements **Prevention:**

Keep away from heat/ sparks/ open flames/ hot surfac-

Z40000300 ZSDB P DK EN

Page 1/16

according to Regulation (EC) No. 1907/2006



Wet Wipe Ethanol Disinfection 70%

No Change Service!

Version Revision Date: 01.00 09.12.2022

Date of last issue: -

es. No smoking.

Storage:

P404 Store in a closed container.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		, ,
	Registration number		
ethanol	64-17-5	Flam. Liq. 2; H225	>= 50 - < 70
	200-578-6		
	603-002-00-5		
	01-2119457610-43-		
	XXXX		
propan-2-ol	67-63-0	Flam. Liq. 2; H225	>= 1 - < 10
	200-661-7	Eye Irrit. 2; H319	
	603-117-00-0	STOT SE 3; H336	
	01-2119457558-25-	(Central nervous	
	XXXX	system)	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Take off all contaminated clothing immediately.

If inhaled : IF INHALED: Remove person to fresh air and keep comforta-

ble for breathing.

If symptoms persist, call a physician.

according to Regulation (EC) No. 1907/2006



Wet Wipe Ethanol Disinfection 70% No Change Service!

Version Revision Date: Date of last issue: -

01.00 09.12.2022

> In case of skin contact Wash off with plenty of water.

> > If skin irritation occurs: Get medical advice/ attention.

In case of eye contact IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsina.

If eye irritation persists: Get medical advice/ attention.

If swallowed Rinse mouth.

> Do NOT induce vomiting. Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms Treat symptomatically.

Risks Vapours may cause drowsiness and dizziness.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment For specialist advice physicians should contact the Poisons

Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray iet

Alcohol-resistant foam

Dry powder

Carbon dioxide (CO2)

Unsuitable extinguishing

media

Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Cool closed containers exposed to fire with water spray.

ucts

Hazardous combustion prod- : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Use personal protective equipment. In the event of fire, wear

self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Remove all sources of ignition.

according to Regulation (EC) No. 1907/2006



Wet Wipe Ethanol Disinfection 70%

No Change Service!

Revision Date: Version Date of last issue: -

01.00 09.12.2022

6.2 Environmental precautions

Environmental precautions : No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Use mechanical handling equipment.

6.4 Reference to other sections

see Section 8 + 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Advice on protection against :

fire and explosion

Ensure adequate ventilation.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Hygiene measures Keep away from food and drink.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Keep containers tightly closed in a cool, well-ventilated place.

Further information on stor-

age conditions

Keep away from direct sunlight. Keep at temperature not ex-

ceeding 25 °C.

Advice on common storage

Do not store together with oxidising agents.

Do not store near acids.

7.3 Specific end use(s)

Specific use(s) none

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
ethanol	64-17-5	GV	1.000 ppm 1.900 mg/m3	DK OEL
	Further information: Guiding list of organic solvents.			
propan-2-ol	67-63-0	GV	200 ppm 490 mg/m3	DK OEL
	Further information: Guiding list of organic solvents.			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
ethanol	Workers	Inhalation	Acute local effects	1900 mg/m3
	Workers	Skin contact	Long-term systemic effects	343 mg/kg

according to Regulation (EC) No. 1907/2006



Wet Wipe Ethanol Disinfection 70% No Change Service!

Version Revision Date: Date of last issue: -

01.00 09.12.2022

	Workers	Inhalation	Long-term systemic effects	950 mg/m3
propan-2-ol	Workers	Skin contact	Long-term systemic effects	888 mg/kg
	Workers	Inhalation	Long-term systemic effects	500 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment Value		
ethanol	Fresh water	0,96 mg/l	
	Marine water	0,79 mg/l	
	Fresh water sediment	3,6 mg/kg	
	Soil	0,63 mg/kg	
	Marine sediment	2,9 mg/kg	
	Sewage treatment plant	580 mg/l	
propan-2-ol	Fresh water	140,9 mg/l	
	Marine water	140,9 mg/l	
	Fresh water sediment	552 mg/kg	
	Marine sediment	552 mg/kg	
	Soil	28 mg/kg	
	Intermittent use/release	140,9 mg/l	
	Effects on waste water treatment plants	2251 mg/l	
	Oral	160 mg/kg food	

8.2 Exposure controls

Personal protective equipment

Eye/face protection Hand protection

Safety glasses with side-shields conforming to EN166

Remarks : Prolonged contact: Nitrile rubber gloves e.g. Camatril (>120

Min., layer thickness: 0.40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0.70 mm) made by KCL or gloves from other manufacturers offering the same protec-

tion.

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

If the occupational exposure limits cannot be met, in exceptional cases suitable respiratory equipment should be worn

only for a short period of time.

Filter type : Organic vapour type (A)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : Aqueous, alcohol containing solution on non-woven

Colour : clear
Odour : alcohol-like
Melting point/freezing point : < -20 °C

Decomposition temperature not determined

Boiling point/boiling range : 78 °C

according to Regulation (EC) No. 1907/2006



Wet Wipe Ethanol Disinfection 70% Revision Date:

No Change Service! Date of last issue: -

01.00 09.12.2022

Upper explosion limit / Upper

flammability limit

Version

: not determined

Lower explosion limit / Lower

flammability limit

not determined

22 °C Flash point

pН 4 - 8

of the active solution

Viscosity

Viscosity, dynamic not determined

Solubility(ies)

Water solubility completely soluble, of the active solution

Partition coefficient: n-

octanol/water

not determined

Vapour pressure not determined

Density ca. 0,89 g/cm3

Relative vapour density not determined

9.2 Other information

Explosives Not explosive

The substance or mixture is not classified as oxidizing. Oxidizing properties

Flammability (liquids) Sustains combustion

> 425 °C Self-ignition

Metal corrosion rate Not applicable

not determined Evaporation rate

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : None reasonably foreseeable.

10.4 Conditions to avoid

Conditions to avoid Heat, flames and sparks.

Exposure to sunlight.

according to Regulation (EC) No. 1907/2006



Wet Wipe Ethanol Disinfection 70% No Change Service!

Version Revision Date: Date of last issue: -

01.00 09.12.2022

10.5 Incompatible materials

Materials to avoid : Strong acids and oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

ethanol:

Acute oral toxicity : LD50 (Mouse): 8.300 mg/kg

Acute inhalation toxicity : LC50 (Mouse): 39 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 20.000 mg/kg

propan-2-ol:

Acute oral toxicity : LD50 (Rat): 5.840 mg/kg

Acute inhalation toxicity : LC50 (Rat): 39 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 13.900 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Components:

ethanol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

propan-2-ol:

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006



Wet Wipe Ethanol Disinfection 70% No Change Service!

Version Revision Date: Date of last issue: -

01.00 09.12.2022

Components:

propan-2-ol:

Result : Eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

ethanol:

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

propan-2-ol:

Test Type : Buehler Test Species : Guinea pig

Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Not classified based on available information.

Components:

ethanol:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471 Result: Not mutagenic in Ames Test

Genotoxicity in vivo : Result: Non mutagenic

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

propan-2-ol:

Genotoxicity in vitro : Test Type: Ames test

Method: Mutagenicity (Escherichia coli - reverse mutation

assay)

Result: Non mutagenic

Genotoxicity in vivo : Species: Mouse

Method: Mutagenicity (micronucleus test)

Result: Non mutagenic

Germ cell mutagenicity- As- : Not mutagenic in Ames Test

according to Regulation (EC) No. 1907/2006



Wet Wipe Ethanol Disinfection 70% No Change Service!

Revision Date: Version Date of last issue: -

01.00 09.12.2022

sessment

Carcinogenicity

Not classified based on available information.

Components:

ethanol:

Carcinogenicity - Assess-

: Did not show carcinogenic effects in animal experiments.

ment

propan-2-ol:

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Not classified based on available information.

Components:

ethanol:

Effects on foetal develop-

ment

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 2.000 mg/kg body weight

Reproductive toxicity - As-

sessment

Animal experiments showed mutagenic and teratogenic ef-

fects.

propan-2-ol:

Effects on foetal develop-

Species: Rat

ment

Application Route: Oral

General Toxicity Maternal: NOAEL: 400 mg/kg body weight

Reproductive toxicity - As-

sessment

Based on available data, the classification criteria are not met.

STOT - single exposure

Not classified based on available information.

Components:

ethanol:

No data available Remarks

propan-2-ol:

Assessment May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Components:

ethanol:

Remarks No data available

according to Regulation (EC) No. 1907/2006



Wet Wipe Ethanol Disinfection 70% No Change Service!

Version Revision Date: Date of last issue: -

01.00 09.12.2022

propan-2-ol:

Remarks : Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

ethanol:

Species : Rat

NOAEL : 1.730 mg/kg LOAEL : 3.160 mg/kg

Application Route : Oral Exposure time : 90 d

propan-2-ol:

Remarks : No data available

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

ethanol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 8.140 mg/l

Exposure time: 48 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 5.000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: IC50 (Scenedesmus quadricauda (Green algae)): > 100 mg/l

Exposure time: 72 h

propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9.640 mg/l

Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 10.000 mg/l

Z40000300 ZSDB P DK EN

Page 10/16

according to Regulation (EC) No. 1907/2006



Wet Wipe Ethanol Disinfection 70% No Change Service!

Version Revision Date: Date of last issue: -

01.00 09.12.2022

> aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Test Type: static test

EC50 (green algae): 1.800 mg/l

Exposure time: 7 d

12.2 Persistence and degradability

Product:

Result: Readily biodegradable. Biodegradability

Remarks: of the active solution

Components:

ethanol:

Biodegradability : Test Type: aerobic

Result: Readily biodegradable. Biodegradation: > 70 %

Exposure time: 5 d

Method: OECD 301D / EEC 84/449 C6

propan-2-ol:

Biodegradability Result: Readily biodegradable.

12.3 Bioaccumulative potential

Components:

ethanol:

Bioaccumulation Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: -0,14

Method: Calculated value

propan-2-ol:

Bioaccumulation Remarks: No bioaccumulation is to be expected (log Pow <=

Partition coefficient: n-

octanol/water

log Pow: 0,05 (20 °C)

Method: OECD Test Guideline 107

12.4 Mobility in soil

Components:

ethanol:

Mobility Remarks: No data available

propan-2-ol:

according to Regulation (EC) No. 1907/2006



Wet Wipe Ethanol Disinfection 70% No Change Service!

Version Revision Date: Date of last issue: -

01.00 09.12.2022

Mobility : Remarks: Mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Can be incinerated or landfilled together with household waste

in compliance with the regulations, and after consultation with

the waste disposal services.

Contaminated packaging : Take empty packaging to the recycling plant.

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 3175 IMDG : UN 3175 IATA : UN 3175

14.2 UN proper shipping name

ADR : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

(ethanol)

IMDG : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

(ethanol)

IATA : Solids containing flammable liquid, n.o.s.

(ethanol)

14.3 Transport hazard class(es)

Class Subsidiary risks

Z40000300 ZSDB P DK EN

Page 12/16

according to Regulation (EC) No. 1907/2006



Wet Wipe Ethanol Disinfection 70% Revision Date:

Date of last issue: -

No Change Service!

09.12.2022 01.00

> **ADR** : 4.1 **IMDG** 4.1 **IATA** 4.1

14.4 Packing group

ADR

Version

Ш Packing group Classification Code F1 Hazard Identification Number : 40 Labels 4.1 Tunnel restriction code (E)

IMDG

Packing group Ш Labels 4.1 EmS Code F-A, S-I

IATA (Cargo)

Packing instruction (cargo 448

aircraft)

Packing instruction (LQ) Y441 Packing group Ш

Labels Flammable solid

IATA (Passenger)

Packing instruction (passen-445

ger aircraft)

Packing instruction (LQ) Y441 Packing group Ш

Flammable solid Labels

14.5 Environmental hazards

ADR

Environmentally hazardous no

IMDG

Marine pollutant no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

For personal protection see section 8.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 3

according to Regulation (EC) No. 1907/2006



Wet Wipe Ethanol Disinfection 70% No Change Service!

Version Revision Date: Date of last issue: -

01.00 09.12.2022

Regulation (EC) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import

of dangerous chemicals

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

Not applicable

: Not applicable

: Not applicable

: Not applicable

FLAMMABLE LIQUIDS

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

MAL-Code-Number

: 2-1 (1993) (Product contains low-boiling liquids. Respiratory

protective equipment must be air supplied respirators.)

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 65,28 %

Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work) Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

P5c

Product-specific registration: :

no.

: 4207878

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

according to Regulation (EC) No. 1907/2006

Revision Date:



Wet Wipe Ethanol Disinfection 70% No Change Service!

01.00 09.12.2022

NZIoC : Not in compliance with the inventory

TECI: On the inventory, or in compliance with the inventory

Date of last issue: -

15.2 Chemical safety assessment

Exempt

Version

SECTION 16: Other information

Full text of H-Statements

H225 : Highly flammable liquid and vapour.
H319 : Causes serious eye irritation.
H336 : May cause drowsiness or dizziness.

Full text of other abbreviations

Eye Irrit. : Eye irritation Flam. Liq. : Flammable liquids

STOT SE : Specific target organ toxicity - single exposure DK OEL : Denmark. Occupational Exposure Limits

DK OEL / GV : Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

according to Regulation (EC) No. 1907/2006



Wet Wipe Ethanol Disinfection 70%

Version Revision Date: Date of last issue: -

01.00 09.12.2022

Further information

Classification of the mixture:

Classification procedure:

No Change Service!

Flam. Liq. 2 H225 Based on product data or assessment

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.